

nedis

All you **need is** ...
Fabritallic Cables



Video Cables
Audio Cables

All you need is...

Fabritalic Cables

Video Cables

Audio Cables

Index

Video Cables	3
8K High Speed HDMI™ Cable	4
High Speed HDMI™ Cable with Ethernet	4
Composite Video Cable	6
Coax Cable 100dB	6
Satellite and Antenna Cable	7
Audio Cables	8
Stereo Audio Cable	9
Headset Audio Cable	12
Subwoofer Cable	13
Digital Audio Cable	15



Video Cables

Enjoy your favorite movies, series or games in razor sharp images by connecting your high quality devices with Nedis® Fabritallic video cables.



8K High Speed HDMI™ Cable
HDMI™ Connector - HDMI™ Connector

CVTB35000GY10	1.0 mtr
CVTB35000GY20	2.0 mtr



- Supports a maximum resolution of 8K@60Hz and bandwidth up to 48 Gbps.
- Supports technologies such as 3D, ARC, HDR, HDCP and HDMI-CEC.
- Premium design aluminium alloy connector housing providing a durable product finish.
- 24k gold-plated contacts for protection against corrosion and ensuring a solid data transfer.
- Braided nylon cable protection for guaranteed long time reliability and protection against ultraviolet light effects.
- Excellent grade oxygen free copper conductors for superior and crystal clear video quality.
- High Quality PPE insulation to ensure razor sharp picture.
- Multiple cable shielding, for maximum protector against radio frequency interference



High Speed HDMI™ Cable with Ethernet
HDMI™ Connector - HDMI™ Connector

CVTB34000GY05	0.5 mtr
CVTB34000GY10	1.0 mtr
CVTB34000GY20	2.0 mtr
CVTB34000GY30	3.0 mtr
CVTB34000GY50	5.0 mtr



- Supports a maximum resolution of 4K@60Hz and bandwidth up to 18 Gbps.
- Supports technologies such as 3D, ARC, HDR, HDCP and HDMI-CEC.
- Premium design aluminium alloy connector housing providing a durable product finish.
- 24k gold-plated contacts for protection against corrosion and ensuring a solid data transfer.
- Braided nylon cable protection for guaranteed long time reliability and protection against ultraviolet light effects.
- Excellent grade oxygen free copper conductors for superior and crystal clear video quality.
- High Quality PPE insulation to ensure razor sharp picture.
- Multiple cable shielding, for maximum protector against radio frequency interference.



High Speed HDMI™ Cable with Ethernet
HDMI™ Connector - HDMI™ Mini Connector

CVTB34500GY20 2.0 mtr



- Supports a maximum resolution of 4K@60Hz and bandwidth up to 18 Gbps.
- Supports technologies such as 3D, ARC, HDR, HDCP and HDMI-CEC.
- Premium design aluminium alloy connector housing providing a durable product finish.
- 24k gold-plated contacts for protection against corrosion and ensuring a solid data transfer.
- Braided nylon cable protection for guaranteed long time reliability and protection against ultraviolet light effects.
- Excellent grade oxygen free copper conductors for superior and crystal clear video quality.
- High Quality PPE insulation to ensure razor sharp picture.
- Multiple cable shielding, for maximum protector against radio frequency interference.



High Speed HDMI™ Cable with Ethernet
HDMI™ Connector - HDMI™ Micro Connector

CVTB34700GY20 2.0 mtr



- Supports a maximum resolution of 4K@60Hz and bandwidth up to 18 Gbps.
- Supports technologies such as 3D, ARC, HDR, HDCP and HDMI-CEC.
- Premium design aluminium alloy connector housing providing a durable product finish.
- 24k gold-plated contacts for protection against corrosion and ensuring a solid data transfer.
- Braided nylon cable protection for guaranteed long time reliability and protection against ultraviolet light effects.
- Excellent grade oxygen free copper conductors for superior and crystal clear video quality.
- High Quality PPE insulation to ensure razor sharp picture.
- Multiple cable shielding, for maximum protector against radio frequency interference.



Composite Video Cable

3x RCA male - 3x RCA male

CVTB24300GY20 2.0 mtr



RCA

- Supports a maximum resolution of 480P.
- Premium design aluminium alloy connector housing providing a durable product finish.
- 24k gold-plated contacts for protection against corrosion and ensuring a solid data transfer.
- Braided nylon cable protection for guaranteed long time reliability and protection against ultraviolet light effects.
- Excellent grade oxygen free copper conductors for superior and crystal clear video quality.
- Colour coded strain relief providing clear connection information for the user.
- Multiple twisted cable shielding, for maximum protection against radio frequency interference.
- High Quality PVC insulation to ensure razor sharp picture.



Coax Cable 100dB

IEC (coax) male - IEC (coax) female

CSTB40015WT20 2.0 mtr

CSTB40015WT50 5.0 mtr



IEC

- Premium design aluminium alloy connector housing providing a durable product finish.
- 24k gold-plated contacts for protection against corrosion and ensuring a solid data transfer.
- Braided nylon cable protection for guaranteed long time reliability and protection against ultraviolet light effects.
- Quad shielded cable for enhanced reduction of electromagnetic interference (EMC).
- High grade bare copper coaxial conductor for superior signal transmission with minimal loss.
- Class A++ screening for maximum signal reception.



Satellite and Antenna Cable

F male - F male

CSTB41000GY20	2.0 mtr
CSTB41000GY50	5.0 mtr



- Premium design aluminium alloy connector housing providing a durable product finish.
- 24k gold-plated contacts for protection against corrosion and ensuring a solid data transfer.
- Braided nylon cable protection for guaranteed long time reliability and protection against ultraviolet light effects.
- Quad shielded cable for enhanced reduction of electromagnetic interference (EMC).
- High grade bare copper coaxial conductor for superior signal transmission with minimal loss.
- Class A++ screening for maximum signal reception.



Audio Cables

Making sure your expensive Hi-Fi set produces the best sound quality possible is not difficult. Just connect your devices with Nedis® Fabritallic audio cables and start the party!





Stereo Audio Cable

3.5 mm male - 3.5 mm male



CATB22000GY05	0.5 mtr
CATB22000GY10	1.0 mtr
CATB22000GY20	2.0 mtr
CATB22000GY30	3.0 mtr
CATB22000GY50	5.0 mtr

- Premium design aluminium alloy connector housing providing a durable product finish.
- 24k gold-plated contacts for protection against corrosion and ensuring a solid data transfer.
- Braided nylon cable protection for guaranteed long time reliability and protection against ultraviolet light effects.
- Excellent grade oxygen free copper conductors for superior and crystal clear audio quality.
- Multiple twisted cable shielding, for maximum protection against radio frequency interference.



Stereo Audio Cable

3.5 mm male - 3.5 mm female



CATB22050GY20	2.0 mtr
CATB22050GY30	3.0 mtr
CATB22050GY50	5.0 mtr

- Premium design aluminium alloy connector housing providing a durable product finish.
- 24k gold-plated contacts for protection against corrosion and ensuring a solid data transfer.
- Braided nylon cable protection for guaranteed long time reliability and protection against ultraviolet light effects.
- Excellent grade oxygen free copper conductors for superior and crystal clear audio quality.
- Multiple twisted cable shielding, for maximum protection against radio frequency interference.



Stereo Audio Cable

3.5 mm male - 2x RCA male



3.5mm

CATB22200GY10	1.0 mtr
CATB22200GY20	2.0 mtr
CATB22200GY30	3.0 mtr
CATB22200GY50	5.0 mtr

- Premium design aluminium alloy connector housing providing a durable product finish.
- 24k gold-plated contacts for protection against corrosion and ensuring a solid data transfer.
- Braided nylon cable protection for guaranteed long time reliability and protection against ultraviolet light effects.
- Excellent grade oxygen free copper conductors for superior and crystal clear audio quality.
- Multiple twisted cable shielding, for maximum protection against radio frequency interference.

Stereo Audio Cable


3.5 mm male - 2x RCA female



3.5mm

CATB22250GY02	0.2 mtr
---------------	---------

- Premium design aluminium alloy connector housing providing a durable product finish.
- 24k gold-plated contacts for protection against corrosion and ensuring a solid data transfer.
- Braided nylon cable protection for guaranteed long time reliability and protection against ultraviolet light effects.
- Excellent grade oxygen free copper conductors for superior and crystal clear audio quality.
- Multiple twisted cable shielding, for maximum protection against radio frequency interference.





Stereo Audio Cable
2x RCA male - 2x RCA male



CATB24200GY10	1.0 mtr
CATB24200GY20	2.0 mtr
CATB24200GY30	3.0 mtr
CATB24200GY50	5.0 mtr

- Premium design aluminium alloy connector housing providing a durable product finish.
- 24k gold-plated contacts for protection against corrosion and ensuring a solid data transfer.
- Braided nylon cable protection for guaranteed long time reliability and protection against ultraviolet light effects.
- Excellent grade oxygen free copper conductors for superior and crystal clear audio quality.
- Colour coded strain relief providing clear connection information for the user.
- Multiple twisted cable shielding, for maximum protection against radio frequency interference.




Stereo Audio Cable
2x RCA male - 2x RCA female



CATB24205GY20	2.0 mtr
CATB24205GY50	5.0 mtr

- Premium design aluminium alloy connector housing providing a durable product finish.
- 24k gold-plated contacts for protection against corrosion and ensuring a solid data transfer.
- Braided nylon cable protection for guaranteed long time reliability and protection against ultraviolet light effects.
- Excellent grade oxygen free copper conductors for superior and crystal clear audio quality.
- Colour coded strain relief providing clear connection information for the user.
- Multiple twisted cable shielding, for maximum protection against radio frequency interference.



Stereo Audio Cable

3.5 mm male - 2x 3.5 mm female

CATB22100GY020.2 mtr



- Premium design aluminium alloy connector housing providing a durable product finish.
- 24k gold-plated contacts for protection against corrosion and ensuring a solid data transfer.
- Braided nylon cable protection for guaranteed long time reliability and protection against ultraviolet light effects.
- Excellent grade oxygen free copper conductors for superior and crystal clear audio quality.
- Multiple twisted cable shielding, for maximum protection against radio frequency interference.



Headset Audio Cable

3.5 mm male - 2x 3.5 mm female

CATB22150GY020.2 mtr



- Premium design aluminium alloy connector housing providing a durable product finish.
- 24k gold-plated contacts for protection against corrosion and ensuring a solid data transfer.
- Braided nylon cable protection for guaranteed long time reliability and protection against ultraviolet light effects.
- Excellent grade oxygen free copper conductors for superior and crystal clear audio quality.
- Multiple twisted cable shielding, for maximum protection against radio frequency interference.



Subwoofer cable
RCA male - RCA male

CATB24000GY30 3.0 mtr



- Premium design aluminium alloy connector housing providing a durable product finish.
- 24k gold-plated contacts for protection against corrosion and ensuring a solid data transfer.
- Braided nylon cable protection for guaranteed long time reliability and protection against ultraviolet light effects.
- Excellent grade oxygen free copper conductors for superior and crystal clear audio quality.
- Multiple twisted cable shielding, for maximum protection against radio frequency interference.




Subwoofer cable
RCA male - RCA male

CATB24100GY30 3.0 mtr
CATB24100GY50 5.0 mtr



- Premium design aluminium alloy connector housing providing a durable product finish.
- 24k gold-plated contacts for protection against corrosion and ensuring a solid data transfer.
- Braided nylon cable protection for guaranteed long time reliability and protection against ultraviolet light effects.
- Excellent grade oxygen free copper conductors for superior and crystal clear audio quality.
- Multiple twisted cable shielding, for maximum protection against radio frequency interference.



Subwoofer Cable
RCA male - 2x RCA female

CATB24010GY020.2 mtr



- Premium design aluminium alloy connector housing providing a durable product finish.
- 24k gold-plated contacts for protection against corrosion and ensuring a solid data transfer.
- Braided nylon cable protection for guaranteed long time reliability and protection against ultraviolet light effects.
- Excellent grade oxygen free copper conductors for superior and crystal clear audio quality.
- Colour coded strain relief providing clear connection information for the user.
- Multiple twisted cable shielding, for maximum protection against radio frequency interference.




Subwoofer Cable
2x RCA male - RCA female

CATB24020GY020.2 mtr



- Premium design aluminium alloy connector housing providing a durable product finish.
- 24k gold-plated contacts for protection against corrosion and ensuring a solid data transfer.
- Braided nylon cable protection for guaranteed long time reliability and protection against ultraviolet light effects.
- Excellent grade oxygen free copper conductors for superior and crystal clear audio quality.
- Colour coded strain relief providing clear connection information for the user.
- Multiple twisted cable shielding, for maximum protection against radio frequency interference.




Digital Audio Cable

RCA Male - RCA Male

CATB24170GY10	1.0 mtr
CATB24170GY20	2.0 mtr



- Premium design aluminium alloy connector housing providing a durable product finish.
- 24k gold-plated contacts for protection against corrosion and ensuring a solid data transfer.
- Braided nylon cable protection for guaranteed long time reliability and protection against ultraviolet light effects.
- High quality coaxial conductor for superior and crystal clear digital audio quality.
- Multiple twisted cable shielding, for maximum protection against radio frequency interference.
- Supports 192kHz/24bit data transfer rate, to reproduce the latest High Definition surround sound formats.



Digital Audio Cable

TosLink male - TosLink male

CATB25000GY10	1.0 mtr
CATB25000GY20	2.0 mtr
CATB25000GY30	3.0 mtr



- Premium design aluminium alloy connector housing providing a durable product finish.
- Braided nylon cable protection for guaranteed long time reliability and protection against ultraviolet light effects.
- Supports 192kHz/24bit data transfer rate, to reproduce the latest High Definition surround sound formats.
- High quality optical fiber conductors, for lowest possible signal loss.

